



**ARROW**™  
*LOCK & DOOR HARDWARE*

## D Series Deadbolts

**Rainer Security Products Ltd**

Unit B6, Rudford Industrial Estate, Ford, Arundel, West Sussex BN18 0BF

☎ +44 (0) 1903 732211    🌐 [rainersecurity.co.uk](http://rainersecurity.co.uk)    ✉ [sales@rainersecurity.co.uk](mailto:sales@rainersecurity.co.uk)



# D Series Deadbolts

## Premier Product

Arrow D Series deadlocks are engineered to perform under the most extreme conditions where security is critical. Our Grade 1 extra heavy duty deadlock surpasses the demands of industrial, institutional and commercial applications.



### Certification & Compliance:

- ANSI A156.5, Auxiliary Locks, Grade 1
- Underwriters Laboratories (UL and CUL) listed for use on 20 minute fire doors when used in conjunction with a rated primary latching device



### General Specifications:

**Housing**–Two-piece housing, with free-spinning outer ring to prevent wrenching. Concealed mounting screws are standard on double cylinder functions.

**Deadbolt**–1" (25.40mm) throw, solid steel deadbolt with hardened, free spinning, steel pin & insert.

**Backset**–2-3/8" (60.32mm), 2-3/4" (69.85mm).

**Deadbolt fronts**–2-1/4" (57.15mm) x 1" (25.40mm) standard for 2-3/8" (60.32mm) backset, 2-1/4" (57.15mm) x 1-1/8" (28.57mm) standard for 2-3/4" (69.85mm) backset. Drive-in deadbolts are available.

**Doors**–1-3/8" (34.925mm) to 1-3/4" (44.45mm) thick standard.


**Strikes**–Supplied standard with the #346 wood frame strike and BX91D strike reinforcement. The #345 metal frame strike is optional.

**Handing**–All functions are reversible.

**Cylinder Standard**–Accepts 6 or 7 pin, small format, interchangeable cores. Supplied less cores. Will accept Best™ type cores (except the E41).

**Cylinder Options**–Solid brass, Arrow "A" keyway, 6 pin cylinder. Supplied with two nickel silver keys. Available in Schlage CS keyway and other competitive keyways.


### Finishes:




	BHMA	U.S. Equivalent	Arrow Equivalent	Finish
1	605	US3	03	Bright Brass
2	606	US4	04	Satin Brass
3	609	US5	05A	Antique Brass
4	612	US10	10	Satin Bronze
5	613	US10B	10B	Dark Oxide Bronze, Oil Rubbed
6	625	US26	26	Bright Chromium Plated
7	626	US26D	26D	Satin Chromium Plated

# D Series Deadbolts


## Deadbolts:



Deadbolt



Drive-In Deadbolt




<b>Part No.</b>	#141	#142	#144
<b>Backset</b>	2-3/8"	2-3/4"	2-3/4"




#145	#146
2-3/8"	2-3/4"


## Strikes:




#347  
ASA




#350  
T




#345  
(for metal doors)



#346  
(for wood doors)



BX91D  
(D Series)



BX91  
(E Series)

## Parts:

Thick Door Pack – For doors 2-1/4" thick


# SFIC Management Control Deadbolt

## Premier Product

The Arrow Management Control Deadbolt gives facility managers control on deadbolt installation and removal with our concealed mounting screws technology. The Arrow Management Control Deadbolt requires an operational control key in order to access the deadbolt attachment screws as illustrated below.

This product is ideal for use in multifamily housing applications including apartments, dormitories and military.

No Interior Screws!



D621C Grade 1  
Double Cylinder



D711C Grade 1  
Single Cylinder



E621C Grade 2  
Double Cylinder



E711C Grade 2  
Single Cylinder

## How to Remove the Deadbolt



Step 1 – Use the Control Key and Rotate the Cylinder.



Step 2 – Remove the SFIC Cylinder.



Step 3 – Using the end of the Cylinder rotate the face plate 90 Degrees.



Step 4 – Remove the Screw, Rotate the Plate 180 Degrees and Remove the other Screw. You may now remove the deadbolt.

# D, E, DB Series Deadbolts

Grade 1			Grade 2			Function	Operation	
Arrow	BHMA		Arrow	BHMA			Inside	Outside
D60	E0111		E60	E0112		Exit	Turnpiece Retracts & Projects Bolt	Blank Plate
D61	E0151		E41			Single Cylinder	Turnpiece Retracts & Projects Bolt	Key Retracts & Projects Bolt
			E61	E0152				
			DB61					
D62	E0141		E42			Double Cylinder	Key Retracts & Projects Bolt	Key Retracts & Projects Bolt
			E62	E0142				
			DB62					
D63	E0161		E63	E0162		Single Cylinder	Blank Plate	Key Retracts & Projects Bolt
D64	E0171		E64	E0172		Classroom	Turnpiece Retracts Bolt But Does Not Project Bolt	Key Retracts & Projects Bolt
D71-IC	E0151		E71-IC	E0152		Single Cylinder With Concealed Mounting Screws (IC Only)	Turnpiece Retracts & Projects Bolt	Key Retracts & Projects Bolt
D73-IC	E0161		—	—	—	Single Cylinder With Concealed Mounting Screws (IC Only)	Blank Plate	Key Retracts & Projects Bolt
D74-IC	E0171		E74-IC	E0172		Classroom With Concealed Mounting Screws (IC Only)	Turnpiece Retracts Bolt But Does Not Project Bolt	Key Retracts & Projects Bolt

E41 & E42 functions are not BHMA certified.

### How to Order D, E, or DB Series Deadbolt:

**Example:** To order a D Series Single Cylinder Deadbolt, Satin Chromium Plated finish, 1-1/8" x 2-3/4" square corner strike, a 2-3/4" backset with 1-1/8" square corner latch, keyed different.

Specify:      **D**                  **61**                  **26D**                  **346**                  **144**                  **IC**

|                                  |                                  |                                  |                                  |                                  |                                  |

Series                          Function                          Finish                          Strike                          Bolt                          Keying Cylinder

